

WBT1125-135 Heatsink

<i>Product Reference</i>	<i>Height (mm)</i>	<i>Width (mm)</i>	<i>Length (mm)</i>	<i>Finish</i>	<i>Number of devices</i>	<i>Module width</i>	<i>Thermal Resistance Naturally air cooled Degree C/W*</i>	<i>Thermal Resistance Fan cooled Degree C/W*</i>	<i>Weight (kg)</i>
WBT1125-135 /120B	135	125	120	None	1	20	0.55 (100W)	0.167	2.1
					2		0.52 (100W)		
					3		0.43 (150W)		
WBT1125-135 /180B	135	125	180	None	1	20	0.47 (70W)	0.145	3.1
					2		0.39 (150W)		
					3		0.36 (180W)		
					1	34		0.144	
					2			0.126	
					3			0.118	
WBT1125-135 /300B	135	125	300	None	2	50		0.101	5.3
					3			0.085	
					6			0.075	

Features:

- Intended for isolated power modules
- Available in various lengths
- 80mm mounting channels suitable for mounting of industry standard modules
- Suitable for mounting of axial fans (supplied on request – 4E-230B recommended)
- Side plates available for air ducting (3 x WBALSHEET100/xxx)

The technical data is to specify components, not to guarantee their properties. No warranty or guarantee expressed or implied is made regarding delivery or performance. The Company reserves the right to alter without prior notice the specification of any product. Information concerning possible methods of use is provided as a guide only and does not constitute any guarantee that such methods of use will be satisfactory in a specific piece of equipment. It is the user's responsibility to fully determine the performance and suitability of any equipment using such information and to ensure that any publication or data used is up to date. The above data was compiled under certain conditions,

All brand names and product names used in this publication are trademarks, registered trademarks or trade names of their respective owners.

Please note that the above characteristics are provided as a reference ONLY and were recorded under specific conditions which may not apply to your application.